SP

		U
	Application No.	Applicant(s)
	10/506,909	CHAWLA, BRINDRA PAUL SINGH
Notice of Allowability	Examiner	Art Unit
	Shumaya B. Ali	3743
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the co (OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>8/1/05</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Topies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date (later the sheet sheet. Replacement sheet(s) should be labeled as such in the deponsion of the deponsion of the same sheet. Replacement sheet(s) should be labeled as such in the deponsion of the deponsion	son's Patent Drawing Review (PTO). s Amendment / Comment or in the (.84(c)) should be written on the drawithe header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL	Office action of ings in the front (not the back) of (d). must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☒ Examiner's Amenda	ite

Application/Control Number: 10/506,909 Page 2

Art Unit: 3743

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or 1. additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kenneth Mitchell on 10/26/05.

The application has been amended as follows:

In the claims-

2.

Claim 1: delete the one line 7. claim 1 should read as follows:

....container is received such that the at least one dispensing.....

Specification

The interlineations or cancellations made in the specification or amendments to the claims could lead to confusion and mistake during the issue and printing processes. Accordingly, the portion of the specification or claims as identified below is required to be rewritten before passing the case to issue. See 37 CFR 1.125 and MPEP § 608.01(q). Page #1 of applicant's specification filled on 9/8/2004 has markings/notes, which are not acceptable.

Please provide a substitute copy of page 1 of the specification filled on 9/8/2004.

Application/Control Number: 10/506,909 Page 3

Art Unit: 3743

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance: As to claim 1, the prior art of record does not teach nor render obvious the overall claimed combination of a system with "a part of the wall of the chamber is formed as a deformable enclosure within which the container is received such that at least one dispending aperture is sealed and from which the container can be introduced into the chamber by pressure applied to the external surface of the deformable enclosure". Therefore, the invention defined in claims 1-20 is novel.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shumaya B. Ali whose telephone number is 571-272-6088. The examiner can normally be reached on M-F 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/506,909

Art Unit: 3743

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Examiner Examiner Art Unit 3743

Hezivzennei

Supervised atent